# TENDER NOTICE

# GOVERNMENT OF PAKISTAN MINISTRY OF NARCOTICS CONTROL ITI NARCOTICS FORCE HEADQUARTERS RAWALPINDI

1. This organization requires sealed tenders from interested /capable General Sales Tax (GST) holder & registered firms / organizations / Companies for following civil work to be done for Renovation of Washrooms, Kitchens and Paint Work of ANF - Academy (Hostel and Academic Blocks) situated at Plots No. 126 & 127 Sector H-11/1 Islamabad:-

Ser.No	Description of Works
a.	Renovation of Washrooms (Academic Block)
b.	Renovation of Kitchen (Academic Block)
c.	Renovation of Washrooms (Hostel Block)
d.	Renovation of Kitchen (Hostel Block)
e.	Renovation of Paint Work (Interior + Exterior) of Academic & Hostel Blocks

Detailed tender documents of the said works may be obtained from ANF Headquarters Rawalpindi (P&D Br), Wavel Lane Chaklala, Near Old Airport, Rawalpindi or can be downloaded from PPRA website or ANF website on cash payment of Rs.10000/-. Site survey may be carried out before finalization of bids documents.

- Terms & Conditions 3.
  - Bids may be submitted on the given address in ONE SEALED CONFIDENTIAL ENVELOP latest by 29 Jan 2025 а. (Wednesday) before 1030 hours. No tender bid will be accepted after cut down date and time. The bids will be opened on the same day or otherwise.
  - b. A bid bond, in the shape of a Bank Draft / Pay Order in the name of Anti Narcotics Force HQs, Rawalpindi amounting to Rs.2.5% (Refundable) of total cost should be submitted alongwith tender as security deposit.
  - C. All the proposals and prices shall remain valid upto 30 June 2025. d

All currency in the proposal shall be quoted in Pakistan Rupees (PKR) including all taxes.

- The bidder is hereby informed that the Government shall deduct taxes on prescribed rates under the tax laws of Pakistan, e. from all payments for services rendered by any vendor who signs a contract with the Government.
- The successful bidder will have to complete the given work as per our schedule, failing which, work order will be f. cancelled and earnest money will be forfeited in favour of Anti Narcotics Force HQs. The bidder will also be declared black listed. An agreement / contract will be signed with the successful bidder on stamp paper mentioning details terms & conditions of the work.

Proposals shall be delivered by hand or courier so as to reach the address given below before closing date and time. PROPOSAL RECEIVED BY FAX OR EMAIL SHALL NOT BE ACCEPTED. g.

- h. HQ Anti Narcotics Force, Rawalpindi reserves the right to reject all bids or proposal at any time prior to the acceptance of a bid or proposal. The procuring agency shall upon request communicate to any supplier or contractor who submitted a bid or proposal, the ground for its rejection of all bids or proposals, but is not required to justify those grounds.
- HQ Anti Narcotics Force, Rawalpindi will announce the results of bid evaluation on same day in the form of a report giving i justification for acceptance or rejection of bids at the time of awarding of procurement contract or otherwise.
- The bidder will submit his financial bid which will contain the rates of the work to be under taken. All bidders participating in the tender should be registered with PEC & FBR and must be included in active tax payer list k.
- maintained by FBR. E.
- All bidders will provide affidavit about non-black list on stamp paper.
- m. The participating bidders are requested to carry out the survey of the site of Plot No. 126 & 127 Sector H-11/1 ANF Academy (Hostel & Academic Blocks) Islamabad during office hours on any working day.

Payment of work will be made through AGPR as running bills. n.

# **Contact Details**

(Syed Jamaluddin) Joint Director (P&D), HQ Anti Narcotics Force Opposite Old Airport, Wavel Lane, Chaklala, Rawalpindi Phone: 051-9286030 www.anf.gov.pk, www.anf.gov.pk email:anf@anf.gov.pk

## TENDER DOCUMENTS

This organization requires sealed tenders from interested /capable General Sales Tax (GST) holder & registered firms / 1 organizations / Companies for following civil work to be done for Renovation of Washrooms, Kitchens and Paint Work of ANF Academy (Hostel and Academic Blocks) situated at Plots No. 126 & 127 Sector H-11/1 Islamabad:-

Description of Works	
Renovation of Washrooms (Academic Block)	
Renovation of Kitchen (Academic Block)	
Renovation of Washrooms (Hostel Block)	
Renovation of Kitchen (Hostel Block)	
Renovation of Paint Work (Interior + Exterior) of Academic & Hostel Blocks	
	Renovation of Washrooms (Academic Block) Renovation of Kitchen (Academic Block) Renovation of Washrooms (Hostel Block) Renovation of Kitchen (Hostel Block)

Detailed tender documents of the said works may be obtained from ANF Headquarters Rawalpindi (P&D Br), Wavel Lane Chaklala. Near Old Airport. Rawalpindi or can be downloaded from PPRA website or ANF website on cash payment of Rs.10000/-. Site survey may be carried out before finalization of bids documents.

#### 3. Terms & Conditions

- Bids may be submitted on the given address in ONE SEALED CONFIDENTIAL ENVELOP latest by 29 Jan 2025 a. (Wednesday) before 1030 hours. No tender bid will be accepted after cut down date and time. The bids will be opened on the same day or otherwise.
- b. A bid bond, in the shape of a Bank Draft / Pay Order in the name of Anti Narcotics Force HQs, Rawalpindi amounting to Rs.2.5% (Refundable) of total cost should be submitted alongwith tender as security deposit. c.
- All the proposals and prices shall remain valid upto 30 June 2025.

All comency in the proposal shall be quoted in Pakistan Rupees (PKR) including all taxes. d.

- The bidder is hereby informed that the Government shall deduct taxes on prescribed rates under the tax laws of e. Pakistan, from all payments for services rendered by any vendor who signs a contract with the Government.
- The successful bidder will have to complete the given work as per our schedule, failing which, work order will be f. cancelled and earnest money will be forfeited in favour of Anti Narcotics Force HQs. The bidder will also be declared black listed. An agreement / contract will be signed with the successful bidder on stamp paper mentioning details terms & conditions of the work.
- g. Proposals shall be delivered by hand or courier so as to reach the address given below before closing date and time. PROPOSAL RECEIVED BY FAX OR EMAIL SHALL NOT BE ACCEPTED.

### Syed Jamaluddin

Joint Director (P&D), HQ Anti Narcotics Force

Opposite Old Airport, Wavel Lane, Chaklala, Rawalpindi

- HQ Anti Narcotics Force, Rawalpindi reserves the right to reject all bids or proposal at any time prior to the h. acceptance of a bid or proposal. The procuring agency shall upon request communicate to any supplier or contractor who submitted a bid or proposal, the ground for its rejection of all bids or proposals, but is not required to justify those grounds.
- f. HQ Anti Narcotics Force, Rawalpindi will announce the results of bid evaluation on same day in the form of a report giving justification for acceptance or rejection of bids at the time of awarding of procurement contract or otherwise.
- The bidder will submit his financial bid which will contain the rates of the work to be under taken.
- All bidders participating in the tender should be registered with PEC & FBR and must be included in active tax payer k. list maintained by FBR.
- All bidders will provide affidavit about non-black list on stamp paper. Ł

The participating bidders are requested to carry out the survey of the site of Plot No. 126 & 127 Sector H-11/1 ANF m. Academy (Hostel & Academic Blocks) Islamabad during office hours on any working day. n.

- Payment of work will be made through AGPR as running bills.
- (1) 40% payment will be made after completion of 50% physical work.
- (2) 30% payment will be made after completion of 80% physical work.
- 20% payment will be made after completion of 100% physical work.
- (4) 10% payment will be hold for 6 months by the department as a security.

ο. Tender Notice and documents are available on PPRA website WWW.ppra.org.pk\_and ANF website www.anf.gov.pk.

· ····· · ·	(Hos	stel Blo		my H-11/1 Isl		
Ser	Description	Unit	Qty	Rate	Amount	
N	Painting with (branded Emulsion paint) of approved shade two coats over and including the cost of one priming coat complete at any height in any floor.	<b>`</b> 1	122496			
	Painting three coats with weather shield paint (branded) of approved shade on walls (External) and including the cost of Scratching, cleaning the surface, sand papering etc. complete at any height in any floor.		28490			
				Total		
I			<u>_</u>			
			·			
				: , , , , , , , , , , , , , , , , , , ,		
• • • •						
	· ·			· · · ·		
• •				4		
				- 		

٠.

# Weather Sheild / Emulsion Paint at ANF Academy H-11/1 Islamabad (Admin Block)

Ser	Description	Unit	Qty	Rate	Amo	unt
1	Painting with (branded Emulsion paint) of approved shade two coats over and including the cost of one priming coat complete at any height in any floor.		110196			
2	Painting three coats with weather shield paint (branded) of approved shade on walls (External) and including the cost of Scratching, cleaning the surface, sand papering etc. complete at any height in any floor.	Sft	39770			
	Total		ll		· · · · · · · · · · · · · · · ·	
						4
				- - -		
					· · · · · · · · · · · · · · · · · · ·	
					· · · · · ·	
				•	· · · ·	
				, -		
					1 - - - - -	
·				· ·	· · · · · · · · · · · · · · · · · · ·	
					· · ·	- - 
						، ، ،

# Repair/Maintaenance of ANF Academy islamabad (Academic Block)

	Bathroom Work				
S.No.	Description	Unit	Qty	Rate	Amount
	Taking out door and window frames with or without hold fasts in ground floor including cutting walls; stacking salvaged material (serviceable) and disposing of unservice-able material as	1 ;			
	directed within three chains (91.5 m).	Each	9.00		
	1st floor		8.00		
	2nd floor		8.00		
	Taking out carefully shutters of doors and windows in ground floor and stacking as directed within three chains (91.5 m).	Each	9.00		
	1st floor	ļ	8.00	· · · ·	
- 6	2nd floor		. 8.00		
	Dismantling cement tiled floor, dado or skirting in basement, plinth and ground floor including base mortar and stacking salvaged material (serviceable) and disposing of surplus stuff as directed			- -	
	within three chains (91.5 m)	100 Sft	2319.50		
	1st floor		2119.00		
	2nd floor Dismantling lime or cement concrete in foundation or under floor basement, plinth and ground floor and disposing of surplus material as directed within three chains (91.5 m).		2119.00 255.00		
	1st floor	100 Cit.	230.00		· · · · · ·
	2nd floor		230.00		<u> </u>
	Providing_and_fixing_PPRC_pipe_PN-20 with specials_and_clamps		230.00	· · · · · ·	
	etc. including cutting and fitting complete with and in cluding the cost of breaking through walls and roof and making good etc. after				
	cleaning the piep and cartage within 10 miles 25 mm dia	R.ft	315.00		
	32mm dia		315.00		
_	50mm dia		300.00		
Ì	Providing and fixing 2 inches (50 mm) dia full way gun metal valves with wheels threaded or flanged ends with rubber washers,				
	(standard pattern) Do. Do. <b>3 inches (80 mm) dia</b> Do	Each	1.00		
	Do. Do. 4 inches (100 mm) dia Do	Each Each	1.00		
	Providing and fixing un platisized polyvinyl chloride pipe (u.P.V.C) "E" class with specials) and clamps etc., including cutting and fitting, complete with and including the cost of breaking through walls and roof and making good etc.; after cleaning the pipe and cartage within 10 miles (16.09 km) (working pressure 12 kg/cm <sup>2</sup> ): 2 inch (50 mm) dia.		1.00		
	Do. Do. 3 inches (80 mm) dia Do.		126.00		
	Do. Do. 4 inches (100 mm) dia Do	Rft.	126.00		·
22	Providing and fixing UPVC multi floor trap of sizes with gratings including cutting and making the requsite number of holes in walls , plinth and floors and making good in 1:2:4 C.C.	Rft. Each	210.00		
23	Providing and fixing M.S. moulded steel door frames of 5.73" x 2- 1/2" (146 mm x 63 mm) manufactured from mild steel sheet of 18 gauge (1.41 mm) conforming to B.S.S. 1245 having a double rebate size 1-1/2" x 1/2" (38 mm x 12 mm) provision of 3 Nos. M.S. plate, section 1-1/2" x 1/4" (38 mm x 6 mm) (2 Nos. 6 inch long welded with frame at not less than 10 points and 1 Nos. 12 inch long welded with frame at not less than 20 points), with holes and threads for fixing steel hings, fitted with one locking box of same sheet (point welded inside the frame), 6 Nos. 6 inches long flat iron fixing lugs of 1-1/4" x 3/16" section, treated with special red oxide primer coat all around including cutting holes and filling the cavity with cement concrete 1:2:4 etc. in any floor at any height complete as directed by the Engineer-in-Charge Providing and laying 1:4:8 cement concrete bed under floors using	Rft.	367.00		
(	graded stone ballast 2 inches (51 mm) and down gauge with evelling and ramming, watering and curing etc. complete	100 Cft.	255.00		

	1 -+ B	400 01			
	1st floor	100 Cft.	230.00		
26	2nd floor	100 Cft.	230.00		
	Providing and fixing 1/4 inches or 6.4 mm (approx.) thick approved				
	Pakistani make white glazed tiles upto 1.50sq feet to 3. sq. ft size				
	in dado and skirting in ground floor, over 1/2 inch (13 mm) thick				
	base of cement mortar 1:3 setting of tiles in slurry of grey cement				-
	over mortar base including filling the joints and washing the tile with				
27	white cement slurry curing and cleaning etc. complete	100 Sft	1809.50		
	1st floor	100 Sft	1659.00		
	2nd floor	100 Sft	· · · ·		
	Providing and laying floor of 6mm (approx: 1/4") thick coloured		1659.00		<u> </u>
	glazed tiles More than 1 sq.ft upto 2 sq.ft. of master make				
	(Pakistani) first grade in ground floor laid over 1" (25mm) thick				
	cement mortar 1:2 (1 cement and 2 sand) including jointing and				
	washing the tiles with white cement slurry a matching colour (by				
	using pigment in white cement) and curing etc. complete.				
30		100 Sft.	510.00		
31	1st floor	100 Sft	460.00		
	2nd floor	100 Sft	460.00		
	Providing and fixing 1-1/2 inch (38 mm) thick best quality deodar	100 510			[
	wood shutters fully panelled with same wood, approved iron hinges				
33	and tower bolts, etc., as required.	Sft	157.50		
14	Painting wood work with synthetic enamel paint of approved make		137.30		
	and shade two coats over and including the cost of one priming				
34	coat complete at any height in any floor .	100 Sft	315.00		
	Providing and fixing with brass screws Alpha knob set bath latch of				
	approved design No. 8000, Japan make, cutting wood to required			·	······
	shape and size with two operating keys as per direction of the				
35	engineer-in-Charge	Each	9.00	i	
	Providing and fixing approved brass sliding bolts or aldrop bolts 12"				
	x 3/4" (305 mm x 19 mm) size with necessary brass screws and				
	iron bolts and nuts	Each	18.00		
	Providing and fixing approved brass sliding bolts or aldrop bolts 6"				
	x 1/2" (152 mm x 13 mm) size with necessary brass screws and				
	iron bolts and nuts.	Each	18.00		
	Providing and fixing approved brass handles 5" (127 mm) size				
	heavy type with becessary brass screws	Each	18.00	·	-
	Providing and fixing with brass screw or specially supplied screws				
	hydraulic door closer of approved design No. 707, Japan make,				
39	cutting wood etc., to required shape and size as per direction of the engineer-in-Charge	Each	9.00		
	Providing and fixing approved quality stainless steel sink 33" x 18"	Each	9.00		
	Pak made (Atlas) complete with brass oxidized bolt kit/angle iron		-	·	
	brackets built into walls 1/2" dia CP sink mixer 1-1/4" rubber plug				
1	and CP brass chain 1-1/4" CP brass waste 1-1/4" dia malleable iron		·		
	or CP brass bottle trap with malleable iron or brass unions and				
	making requisite number of holes in walls, plinth and floor for pipe				
	connections and making good in cement concrete 1:2:4				
40		Each	1.00		
	Providing and fixing best quality white glazed earthenware One				······
	piece toilet (commode) coupled with flush tank (Porta or equivalent)				
	complete with and including cost of plastic seat with Buffers, with				
	internal fittings complete.	Each	12.00		
	Providing and fixing best quality squatting type earthern ware W.C.	T	Ī.		
	pan (porta or equivalent) complete with and including the cost of		. [		
	13.6 liter best quality low level plastic slushing cistern with internal				
	fittings complete , PVC flushing pipe suitable for squatting type with				
ľ	extra bend and length with fittings, PVC trap 4 inches (100 mm) dia				
ľ	making requisite number of holes in walls, plinth & floor for pipe				
	connection and making good in cemnent concrete 1:2:4	Each	6.00		
42					

. . . . . .

::

1

· 1

-

Providing and fixing best available Pedestal lavatory basin in white         glazed earthenware (Pakistani) complete with and including the         cost of Brass oxidized bolts kit built into walls 1/2 (nches (15 mm))         dia. Chrome plated mixer, 1-1/4 inches (32 mm) rubber plug and         chrome plated mixer, 1-1/4 inches (32 mm) dia brass waste of         approved pattern 1-1/4 inches (32 mm) dia brass waste of         approved pattern 1-1/4 inches (32 mm) dia brass waste of         approved pattern 1-1/4 inches (32 mm) dia brass waste of         approved pattern 1-1/4 inches (32 mm) dia brass waste of         approved pattern 1-1/4 inches (32 mm) dia brass waste of         approved pattern 1-1/4 inches (32 mm) dia brass waste of         approved pattern 1-1/4 inches (32 mm) dia brass waste of         approved pattern 1-1/4 inches (32 mm) dia brass waste of         approved pattern 1-1/4 inches (32 mm) dia brass waste of         approved pattern 1-1/4 inches (32 mm) dia brass waste of         approved pattern 1-1/4 inches (32 mm) dia brass waste of         approved pattern 1-1/4 inches (32 mm) dia brass waste of         approved pattern 1-1/4 inches (32 mm) dia brass         approved pattern 1-1/4 inches (15 mm) CP bis cocks.         Each       1.00         Providing and fixing 1/2 inches dia. (15 mm) CP bis cocks.       Each       1.00         Providing and fixing CP Mixer 1/2 inches (15 mm) (Faisal/Master or<	<b>_</b>	· · ·				
dia. Chrome plated mixer, 1-1/4 inches (32 mm) rubber plug and chrome plated brass chain 1-1/4 inches (32 mm) dia brass waste of approved pattern 1-1/4 inches (32 mm) dia chromium plated battal trap with unions and making requisite, number of holes in walls, plinth and floor for pip.e connections and making good in cement concrete 1:2:4.         43       Each       24.00         Providing & fixing best quality earthern ware vanity basin (porta or equivalent) standard size (white/light color) and including the cost of 1-1/4" rubber plug and chrome plated brass chain pvc waste pipe 1-1/4" dia of approved pattern etc. complete       Each       1.00         43       Providing and fixing 1/2 inches dia. (15 mm) CP bib cocks.       Each       40.00         44       Providing and fixing 1/2 inches dia. (15 mm) CP bib cocks.       Each       40.00         Providing and fixing 1/2 inches dia. (15 mm) CP bib cocks.       Each       1.00         Providing and fixing CP Mixer 1/2 inches (15 mm) (Faisal/Master or equivelent) lever type Paksitani complete in all respect.       Each       1.00         Providing and fixing floor waste 6*x6* (stainless steel) Jali etc. complete.       Each       18.00         49       Providing and fixing wall shower of CP brass 3 knobs of approved guality mixer unit and moveable shower head complete.       Each       1.00         9       Providing and fixing bath room accessories of set of 7 pieces consit of one coematile scheft one towel tricket one soad dish, one tooth brush holder with glass and cover, one		glazed earthenware (Pakistani) complete with and including the				
approved pattern 1-1/4 inches (32 mm) dia chromium plated battal trap with unions and making requisite, number of holes in walls, plinth and floor for pip, e connections and making good in cement concrete 1:2:4.       Each       24,00         Providing & fixing best quality earthern ware vanity basin (porta or equivalent) standard size (white/light color) and including the cost of 1-1/4" rubber plug and chrome plated brass chain pvc waste pipe 1-1/4" dia of apporved pattern etc. complete       Each       1.00         43       Providing and fixing 1/2 inches dia. (15 mm) CP bib cocks.       Each       40.00         44       Providing and fixing 1/2 inches dia. (15 mm) CP bib cocks.       Each       40.00         Providing and fixing CP Mixer 1/2 inches (15 mm) (Faisal/Master or equivelent) lever type Paksitani complete in all respect.       Each       1.00         Providing and fixing CP Mixer 1/2 inches steel) Jali etc. complete.       Each       18.00         48       Muslim Shower of approved quality.       Each       1.00         49       Providing and fixing floor waste 6"x6" (stainless steel) Jali etc. complete.       Each       1.00         9       Providing and fixing bath room accessories of set of 7 pieces consist of one-esematie sholf, one towel rod with bracket-one scaol dish, one tooth brush holder with glass and cover, one tissue paper holder one double hook one towel ring etc complete of approved quality as per direction of Engineer in-charge.       Each       18.00         Providing and fixing 24 inches x 18 inches (610 mm x 457 mm)		dia. Chrome plated mixer, 1-1/4 inches (32 mm) rubber plug and				
concrete 1:2:4       Each       24,00         Providing & fixing best quality earthern ware vanity basin (porta or equivalent) standard size (white/light color) and including the cost of 1-1/4" rubber plug and chrome plated brass chain pvc waste pipe 1-1/4" rubber plug and chrome plated brass chain pvc waste pipe 1-1/4" dia of apporved pattern etc. complete       Each       1.00         43       Providing and fixing 1/2 inches dia. (15 mm) CP bib cocks.       Each       40.00         44       Providing and fixing 1/2 inches dia. (15 mm) CP stop cocks/ Tee equivelent) lever type Paksitani complete in all respect.       Each       40.00         45       Providing and fixing CP Mixer 1/2 inches (15 mm) (Faisal/Master or equivelent) lever type Paksitani complete in all respect.       Each       1.00         48       Muslim Shower of approved quality.       Each       18.00       18.00         49       Providing and fixing floor waste 6"x6" (stainless steet) Jali etc. complete.       Each       18.00         49       Providing and fixing bath room accessories of set of 7 pieces consist of one cosmatic shelf, one towel rod with bracket one scap dish, one tooth brush holder with glass and cover, one tissue paper holder one double hook one towel ring etc complete of approved quality as per direction of Engineer in-charge.       Each       18.00         51       Providing and fixing 24 inches x 18 inches (610 mm x 457 mm) looking mirror of imported glass 5 mm thick fixing with CP clamps       Sft       121.50		approved pattern 1-1/4 inches (32 mm) dia chromium plated battal trap with unions and making requisite, number of holes in walls,	·			
equivalent) standard size (white/light color) and including the cost of 1-1/4" rubber plug and chrome plated brass chain pvc waste pipe 1-1/4" dia of apporved pattern etc. completeEach1.00441/41/2 inches dia. (15 mm) CP bib cocks.Each40.0045Providing and fixing 1/2 inches dia. (15 mm) CP stop cocks/ Tee 46 stop cocks.Each40.0047equivelent) lever type Paksitani complete in all respect.Each1.0048Muslim Shower of approved quality.Each18.0049Providing and fixing flor waste 6"x6" (stainless steel) Jali etc. complete.Each18.0049Providing and fixing bath room accessories of set of 7 pieces consist of one cosmotie shelf, one towel rod with bracket one soap dish, one tooth brush holder with glass and cover, one tissue paper holder one double hook one towel ring etc complete of approved quality as per direction of Engineer in-charge.Each18.009Providing and fixing 24 inches x 18 inches (610 mm x 457 mm) looking mirror of Imported glass 5 mm thick fixing with CP clamps Sft121.50121.50	4	concrete 1:2:4.		24.00	-	
pipe 1-1/4" dia of apporved pattern etc. completeEach1.004444Each1.0045Providing and fixing 1/2 inches dia. (15 mm) CP bib cocks.Each40.00Providing and fixing 1/2 inches dia. (15 mm) CP stop cocks/ TeeEach40.0046stop cocks.Each40.00Providing and fixing CP Mixer 1/2 inches (15 mm) (Faisal/Master orEach1.0047equivelent) lever type Paksitani complete in all respect.Each1.00Providing & fixing chromium plated Muslim bib-cock with outEach18.0048Muslim Shower of approved quality.Each18.0049Providing and fixing floor waste 6"x6" (stainless steel) Jali etc. complete.Each1.009Providing and fixing wall shower of CP brass 3 knobs of approved quality mixer unit and moveable shower head completeEach1.009Providing and fixing bath room accessories of set of 7 pieces consist of one cosmatie shelf, one towel rod with bracket, one soard dish, one tooth brush holder with glass and cover, one tissue paper holder one double hook one towel ring etc complete of approved quality as per direction of Engineer in-charge.Each18.0051Forviding and fixing 24 inches x 18 inches (610 mm x 457 mm) looking mirror of Imported glass 5 mm thick fixing with CP clampsFach121.50		equivalent) standard size (white/light color) and including the cost			-	
45       Providing and fixing 1/2 inches dia. (15 mm) CP bib cocks.       Each       40.00         Providing and fixing 1/2 inches dia. (15 mm) CP stop cocks/ Tee       40.00       40.00         46       stop cocks.       Each       40.00         Providing and fixing CP Mixer 1/2 inches (15 mm) (Faisal/Master or       Each       40.00         47       equivelent) lever type Paksitani complete in all respect.       Each       1.00         Providing & fixing chromium plated Muslim bib-cock with out       Each       18.00         48       Muslim Shower of approved quality.       Each       18.00         49       Providing and fixing floor waste 6"x6" (stainless steel) Jali etc. complete.       Each       18.00         9       Providing and fixing wall shower of CP brass 3 knobs of approved quality mixer unit and moveable shower head complete       Each       1.00         9       Providing and fixing bath room accessories of set of 7 pieces consist of one cosmatic shelf, one towel rod with bracket, one soad dish, one tooth brush holder with glass and cover, one tissue paper holder one double hook one towel ring etc complete of approved quality as per direction of Engineer in-charge.       Each       18.00         51       Each       18.00       7         9       Providing and fixing 24 inches x 18 inches (610 mm x 457 mm) looking mirror of timported glass 5 mm thick fixing with CP clamps       7		pipe 1-1/4" dia of apporved pattern etc. complete				
Providing and fixing 1/2 inches dia. (15 mm) CP stop cocks/ Tee stop cocks.Each40.0046 stop cocks.Each40.00Providing and fixing CP Mixer 1/2 inches (15 mm) (Faisal/Master or equivelent) lever type Paksitani complete in all respect.Each1.00Providing & fixing chromium plated Muslim bib-cock with out 48 Muslim Shower of approved quality.Each18.0049 Providing and fixing floor waste 6"x6" (stainless steel) Jali etc. complete.Each18.009 Providing and fixing wall shower of CP brass 3 knobs of approved quality mixer unit and moveable shower head completeEach1.009 Providing and fixing bath room accessories of set of 7 pieces consist of one cosmatic shelf, one towel rod with bracket, one soap dish, one tooth brush holder with glass and cover, one tissue paper holder one double hook one towel ring etc complete of approved quality as per direction of Engineer in-charge.Each18.0051Providing and fixing 24 inches x 18 inches (610 mm x 457 mm) looking mirror of imported glass 5 mm thick fixing with CP clamps 52 and screwsSft121.50			Each	1.00		:
46stop cocks.Each40.00Providing and fixing CP Mixer 1/2 inches (15 mm) (Faisal/Master or equivelent) lever type Paksitani complete in all respect.Each1.00Providing & fixing chromium plated Muslim bib-cock with out 48 Muslim Shower of approved quality.Each18.0049Providing and fixing floor waste 6"x6" (stainless steel) Jali etc. complete.Each18.0049Providing and fixing wall shower of CP brass 3 knobs of approved quality mixer unit and moveable shower head completeEach18.009Providing and fixing bath room accessories of set of 7 pieces consist of one cosmatie shelf, one towel rod with bracket, one soad dish, one tooth brush holder with glass and cover, one tissue paper holder one double hook one towel ring etc complete of approved quality as per direction of Engineer in-charge.Each18.0051Providing and fixing 24 inches x 18 inches (610 mm x 457 mm) looking mirror of imported glass 5 mm thick fixing with CP clamps 52 and screwsSft121.50	4		Each	40.00		
47 equivelent) lever type Paksitani complete in all respect.Each1.00Providing & fixing chromium plated Muslim bib-cock with out Muslim Shower of approved quality.Each18.0048 Muslim Shower of approved quality.Each18.0049 Providing and fixing floor waste 6"x6" (stainless steel) Jali etc. complete.Each18.009 Providing and fixing wall shower of CP brass 3 knobs of approved quality mixer unit and moveable shower head completeEach18.009 Providing and fixing bath room accessories of set of 7 pieces consist of one-cosmatic shelf, one towel rod-with bracket-one soap dish, one tooth brush holder with glass and cover, one tissue paper holder one double hook one towel ring etc complete of approved quality as per direction of Engineer in-charge.Each18.009 Providing and fixing 24 inches x 18 inches (610 mm x 457 mm) looking mirror of imported glass 5 mm thick fixing with CP clamps and screwsSft121.50	4	6 stop cocks.	Each	40.00		
48Muslim Shower of approved quality.Each18.0049Providing and fixing floor waste 6"x6" (stainless steel) Jali etc. complete.Each18.0049Providing and fixing wall shower of CP brass 3 knobs of approved quality mixer unit and moveable shower head completeEach1.0050Providing and fixing bath room accessories of set of 7 pieces consist of one cosmatic shelf, one towel rod with bracket, one soad dish, one tooth brush holder with glass and cover, one tissue paper holder one double hook one towel ring etc complete of approved quality as per direction of Engineer in-charge.Each18.0051Froviding and fixing 24 inches x 18 inches (610 mm x 457 mm) looking mirror of imported glass 5 mm thick fixing with CP clamps and screws5ft121.50	4	7 equivelent) lever type Paksitani complete in all respect.	Each	1.00	· :	
Providing and fixing wall shower of CP brass 3 knobs of approved quality mixer unit and moveable shower head completeEach1.00Providing and fixing bath room accessories of set of 7 pieces consist of one cosmatic shelf, one towel rod with bracket, one soad dish, one tooth brush holder with glass and cover, one tissue paper holder one double hook one towel ring etc complete of approved quality as per direction of Engineer in-charge.Each1.00Providing and fixing 24 inches x 18 inches (610 mm x 457 mm) looking mirror of Imported glass 5 mm thick fixing with CP clamps and screwsFit 121.50Fit 121.50	4		Each	18.00		
50quality mixer unit and moveable shower head completeEach1.00Providing and fixing bath room accessories of set of 7 pieces consist of one cosmatic shelf, one towel rod with bracket, one soap dish, one tooth brush holder with glass and cover, one tissue paper holder one double hook one towel ring etc complete of approved quality as per direction of Engineer in-charge.Each1.0051Each18.00Providing and fixing 24 inches x 18 inches (610 mm x 457 mm) looking mirror of Imported glass 5 mm thick fixing with CP clamps and screwsSft121.50	4		Each	18.00		
consist of one cosmatic shelf, one towel rod with bracket, one soac       dish, one tooth brush holder with glass and cover, one tissue paper         dish, one tooth brush holder with glass and cover, one tissue paper       holder one double hook one towel ring etc complete of approved         quality as per direction of Engineer in-charge.       Each       18.00         51       Providing and fixing 24 inches x 18 inches (610 mm x 457 mm)       -         looking mirror of Imported glass 5 mm thick fixing with CP clamps       Sft       121.50	5	quality mixer unit and moveable shower head complete.	Each	1.00		
dish, one tooth brush holder with glass and cover, one tissue paper holder one double hook one towel ring etc complete of approved quality as per direction of Engineer in-charge.       Each       18.00         51       Providing and fixing 24 inches x 18 inches (610 mm x 457 mm) looking mirror of Imported glass 5 mm thick fixing with CP clamps and screws       5ft       121.50	 	Providing and fixing bath room accessories of set of 7 pieces	·			
51     Each     18.00       Providing and fixing 24 inches x 18 inches (610 mm x 457 mm) looking mirror of imported glass 5 mm thick fixing with CP clamps 52 and screws     -       52     Sft     121.50		dish, one tooth brush holder with glass and cover, one tissue paper holder one double hook one towel ring etc complete of approved				
looking mirror of imported glass 5 mm thick fixing with CP clamps         Sft         121.50           52 and screws         Sft         121.50         Sft         121.50	5	1	Each	. 18.00		
	5	looking mirror of imported glass 5 mm thick fixing with CP clamps	C ft	121.60		
			310	121.50	· · · · · · · · · · · · · · · · · · ·	

	Repair/Maintaenance.of ANF Acad	demy isla	nabad		
	(Hostel Block)				
	Bathroom Work				
S.No.	Description	Unit	Qty	Rate	Amount
	Taking out door and window frames with or without hold fasts in ground floor including cutting walls, stacking salvaged material (serviceable) and disposing of unservice-able material as directed within three chains (91.5 m).		4.00		
	1st floor		16.00		
3	2nd floor		16.00		
	3rd floor		10.00		
	Taking out carefully shutters of doors and windows in ground floor		4.00		
	and stacking as directed within three chains (91.5 m).	Each	4.00		
_	1st floor		8.00	·······	
6	2nd floor		8.00	· · · · · ·	
	3rd floor				
·	Dismantling cement tiled floor, dado or skirting in basement, plinth and ground floor including base mortar and stacking salvaged material (serviceable) and disposing of surplus stuff as directed		<b>281</b> 9.31		
	within three chains (91.5 m) 1st floor	100 311 -	2983.00		<u> </u>
	2nd floor			•	· 
9			2983.00 2983.00		
	3rd floor Dismantling time or cement concrete in foundation or under floor		2983.00		· · · · · · · · · · · · · · · · · · ·
	basement, plinth and ground floor and disposing of surplus			•	
	material as directed within three chains (91.5 m)	100 Cft.	443.63		
	1st floor		287.50		
12	2nd floor		287.50		
	Providing and fixing PPRC pipe PN-20 with specials and clamps etc. including cutting and fitting complete with and in cluding the cost of breaking through walls and roof and making good etc. after			·	
	cleaning the piep and cartage within 10 miles 25 mm dia	R.ft	690.00		
14	32mm dia		690.00		
15	50mm dia		300.00		
16	Providing and fixing 2 inches (50 mm) dia full way gun metal valves with wheels threaded or flanged ends with rubber washers, (standard pattern)		1.00		
	Do. Do. 3 inches (80 mm) dia Do	Each	1.00		
	Do. Do. 4 inches (100 mm) dia Do	Each	1.00		
10	Providing and fixing un platisized polyvinyl chloride pipe (u.P.V.C)				
	"E" class with specials) and clamps etc. including cutting and fitting, complete with and including the cost of breaking through walls and roof and making good etc.; after cleaning the pipe and				
10	cartage within 10 miles (16.09 km) (working pressure 12 kg/cm <sup>2</sup> ): 2 inch (50 mm) dia.	Rft.	276:00		
	Do. Do. 3 inches (80 mm) dia Do	Rft.	276.00		······································
	Do. Do. 4 inches (100 mm) dia Do	Rit.	460.00		
21			400.00		
	Providing and fixing UPVC multi floor trap of sizes with gratings including cutting and making the requsite number of holes in walls ,				
22	plinth and floors and making good in 1:2:4 C.C.	Each	46.00		<u> </u>

. С. р.С.

9 r 1 1	Providing and fixing M.S. moulded steel door frames of 5.73" x 2-				
9 r 1 1	FTUYIMING ANG BAING WI.S. INDUIDED SIEEDOOF ITAMES OF 57.5 X Z-	·····	<b>F</b>		
פ ד ג ע ן	1/2" (146 mm x 63 mm) manufactured from mild steel sheet of 18				
r F V J	gauge (1.41_mm) conforming to B.S.S. 1245 having a double				
۲ ۷ ۱	rebate size $1-1/2$ " x $1/2$ " (38 mm x 12 mm) provision of 3 Nos. M.S.				
v 1	plate, section 1-1/2" x 1/4" (38 mm x 6 mm) (2 Nos. 6 inch long		1		
1	welded with frame at not less than 10 points and 1 Nos. 12 inch			-	
	long welded with frame at not less than 20 points), with holes and				
	threads for fixing steel hings, fitted with one locking box of same				
	sheet (point welded inside the frame), 6 Nos. 6 inches long flat iron				
	fixing lugs of 1-1/4" x 3/16" section, treated with special red oxide			•	
	primer coat all around including cutting holes and filling the cavity.				
	with cement concrete 1:2:4 etc. in any floor at any height complete				
22	as directed by the Engineer-in-Charge	1			
		Rft.	805.00		· · · - · · - · · - · · - · · - · · - · · - · · - · · - · · - · · - · · - · · - · · - · · · - · · · - · · · - ·
	Providing and laying 1:4:8 cement concrete bed under floors using				
9	graded stone ballast 2 inches (51 mm) and down gauge with		· · ·		
24	levelling and ramming, watering and curing etc. complete.	100 64	442.62		
		100 Cft.	443.63		
	1st floor	100 Cft.	287.50		
26 2	2nd floor	100 Cft.	287.50		
3	3rd floor		287.50		
	Providing and fixing 1/4 inches or 6.4 mm (approx.) thick approved				
I.F	Pakistani make white glazed tiles upto 1.50sq feet to 3. sq. ft size				
ii	in dado and skirting in ground floor, over 1/2 inch (13 mm) thick				
l.	base of cement mortar 1:3 setting of tiles in slurry of grey cement			-	
	over mortar base including filling the joints and washing the tile			-	
	with white cement slurry curing and cleaning etc. complete .				
27	and annual sector source and a sector of the	100 Sft	1932.06		
	1st floor				
		100 Sft	2408.00		
	2nd floor	100 Sft	2408.00		
	Brd floor		2408.00		
F	Providing and laying floor of 6mm (approx: 1/4") thick coloured				
g	glazed tiles More than 1 sq.ft upto 2 sq.ft. of master make				
	Pakistani) first grade in ground floor laid over 1" (25mm) thick				
с	cement mortar 1:2 (1 cement and 2 sand) including jointing and			,	
, w	vashing the tiles with white cement slurry a matching colour (by				
	using pigment in white cement) and curing etc. complete.			:	
30		100 Sft.	887.25		
31 1	Lst floor	100 Sft	575.00		
	Ind floor	100 Sft	575.00		
	Brd floor	100 31			<b></b> .
-			575.00		
	Providing and fixing 1-1/2 inch (38 mm) thick best quality deodar			i	
W	vood shutters fully panelled with same wood, approved iron hinges				
	and tower bolts, etc., as required.	Sft	87.50		
P	Painting wood work with synthetic enamel paint of approved make		·		
a	and shade two coats over and including the cost of one priming		· · ·		
	coat complete at any height in any floor	100 Sft	175.00		
	Providing and fixing with brass screws Alpha knob set bath latch of			_ · ]	
а	pproved design No. 8000, Japan make, cutting wood to required			,	
i e	hape and size with two operating keys as per direction of the				
	ingineer-in-Charge	Each	46.00		
	Providing and fixing approved brass sliding bolts or aldrop bolts				
35 e	2" x 3/4" (305 mm x 19 mm) size with necessary brass screws				
35 e P		Each	92.00		
35 e P 1:	ind iron bolts and nuts.				
35 ei P 11 36 ai				1	
35 e P 11 36 a P	Providing and fixing approved brass sliding bolts or aldrop bolts 6"	-			-
35 ei P 12 36 ai P x	Providing and fixing approved brass sliding bolts or aldrop bolts 6" 1/2" (152 mm x 13 mm) size with necessary brass screws and	Each	92.00		-
35 er P 11 36 ar P x 37 irr	Providing and fixing approved brass sliding bolts or aldrop bolts 6" 1/2" (152 mm x 13 mm) size with necessary brass screws and ron bolts and nuts	Each	92.00		
35 e P 12 36 a P x 37 irc P	Providing and fixing approved brass sliding bolts or aldrop bolts 6" 1/2" (152 mm x 13 mm) size with necessary brass screws and ron bolts and nuts Providing and fixing approved brass handles 5" (127 mm) size				
35 e P 11 36 a P x 37 irc 38 h	Providing and fixing approved brass sliding bolts or aldrop bolts 6" 1/2" (152 mm x 13 mm) size with necessary brass screws and on bolts and nuts. Providing and fixing approved brass handles 5" (127 mm) size eavy type with becessary brass screws.	Each Each	92.00 92.00		
35 e P 12 36 a P X 37 irro 38 ho P	Providing and fixing approved brass sliding bolts or aldrop bolts 6" 1/2" (152 mm x 13 mm) size with necessary brass screws and con bolts and nuts Providing and fixing approved brass handles 5" (127 mm) size eavy type with becessary brass screws . Providing and fixing with brass screw or specially supplied screws			· · ·	
35 e P 1: 36 a P x 37 irr 38 h P 38 h	Providing and fixing approved brass sliding bolts or aldrop bolts 6" 1/2" (152 mm x 13 mm) size with necessary brass screws and on bolts and nuts. Providing and fixing approved brass handles 5" (127 mm) size eavy type with becessary brass screws.				

				-		
			•			
	، ب					
				-		
	Providing and fixing approved quality stainless steel sink 33" x 18"			1	1	
	Pak made (Atlas) complete with brass oxidized bolt kit/angle iron		1			
	brackets built into walls 1/2" dia CP sink mixer 1-1/4" rubber plug					
	and CP brass chain 1-1/4" CP brass waste 1-1/4" dia malleable				· - ·-	
	iron or CP brass bottle trap with malleable iron or brass unions and					
	making requisite number of holes in walls, plinth and floor for pipe					
40	connections and making good in cement concrete 1:2:4	<b>F</b> = - <b>b</b>	2.00		•	
40		Each	2.00			
	Providing and fixing best quality white glazed earthenware One					
	piece toilet (commode) coupled with flush tank (Porta or					
	equivalent) complete with and including cost of plastic seat with					
	Buffers, with internal fittings complete.	Each	23.00			
	Providing and fixing best quality squatting type earthern ware W.C.					
	pan (porta or equivalent) complete with and including the cost of					
	13.6 liter best quality low level plastic slushing cistern with internal					
	fittings complete , PVC flushing pipe suitable for squatting type			-		
	with extra bend and length with fittings, PVC trap 4 inches (100			•		
	mm) dia making requisite number of holes in walls, plinth & floor		· .			
	for pipe connection and making good in cemnent concrete 1:2:4					
42		Each	23.00		1	
	Providing and fixing best available Pedestal lavatory basin in white	Eden	23.00			
	alazed asthenware (Dekisteni) entrelate with and including the		] '	·-	1	
	glazed earthenware (Pakistani) complete with and including the					
	cost of Brass oxidized bolts kit built into walls 1/2 inches (15 mm)					
	dia. Chrome plated mixer, 1-1/4 inches (32 mm) rubber plug and					
	chrome plated brass chain 1-1/4 inches (32 mm) dia brass waste			•		
	of approved pattern 1-1/4 inches (32 mm) dia chromium plated					
	battal trap with unions and making requisite, number of holes in					
	walls, plinth and floor for pip.e connections and making good in					
	cement concrete 1:2:4					
43		Each	23.00		· ·	
	Providing & fixing best quality earthern ware vanity basin (porta or		1			
	equivalent) standard size (white/light color) and including the cost		[			
	of 1-1/4" rubber plug and chrome plated brass chain pvc waste					
	of 1-1/4" rubber plug and chrome plated brass chain pvc waste pipe 1-1/4" dia of apporved pattern etc. complete		1			
44	pipe 1-1/4" dia of apporved pattern etc. complete	Each	23.00			
	pipe 1-1/4" dia of apporved pattern etc. complete	Each	23.00			
	pipe 1-1/4" dia of apporved pattern etc. complete Providing and fixing 1/2 inches dia. (15 mm) CP bib cocks.	Each Each	23.00 46.00			
45	pipe 1-1/4" dia of apporved pattern etc. complete Providing and fixing 1/2 inches dia. (15 mm) CP bib cocks. Providing and fixing 1/2 inches dia. (15 mm) CP stop cocks/ Tee	Each	46.00			
45	pipe 1-1/4" dia of apporved pattern etc. complete Providing and fixing 1/2 inches dia. (15 mm) CP bib cocks. Providing and fixing 1/2 inches dia. (15 mm) CP stop cocks/ Tee stop cocks.		• • • • • • • • • • • • • • • • • • •			
45 46	pipe 1-1/4" dia of apporved pattern etc. complete Providing and fixing 1/2 inches dia. (15 mm) CP bib cocks. Providing and fixing 1/2 inches dia. (15 mm) CP stop cocks/ Tee stop cocks. Providing and fixing CP Mixer 1/2 inches (15 mm) (Faisal/Master	Each Each	46.00 92.00			
45 46	pipe 1-1/4" dia of apporved pattern etc. complete Providing and fixing 1/2 inches dia. (15 mm) CP bib cocks. Providing and fixing 1/2 inches dia. (15 mm) CP stop cocks/ Tee stop cocks. Providing and fixing CP Mixer 1/2 inches (15 mm) (Faisal/Master or equivelent) lever type Paksitani complete in all respect.	Each	46.00			
45 46	pipe 1-1/4" dia of apporved pattern etc. complete Providing and fixing 1/2 inches dia. (15 mm) CP bib cocks. Providing and fixing 1/2 inches dia. (15 mm) CP stop cocks/ Tee stop cocks. Providing and fixing CP Mixer 1/2 inches (15 mm) (Faisal/Master	Each Each	46.00 92.00			
45 46 47	pipe 1-1/4" dia of apporved pattern etc. complete Providing and fixing 1/2 inches dia. (15 mm) CP bib cocks. Providing and fixing 1/2 inches dia. (15 mm) CP stop cocks/ Tee stop cocks. Providing and fixing CP Mixer 1/2 inches (15 mm) (Faisal/Master or equivelent) lever type Paksitani complete in all respect.	Each Each	46.00 92.00			
45 46 47 48	pipe 1-1/4" dia of apporved pattern etc. complete Providing and fixing 1/2 inches dia. (15 mm) CP bib cocks. Providing and fixing 1/2 inches dia. (15 mm) CP stop cocks/ Tee stop cocks. Providing and fixing CP Mixer 1/2 inches (15 mm) (Faisal/Master or equivelent) lever type Paksitani complete in all respect. Providing & fixing chromium plated Muslim bib-cock with out Muslim Shower of approved quality.	Each Each Each	46.00 92.00 2.00			
45 46 47 48	pipe 1-1/4" dia of apporved pattern etc. complete Providing and fixing 1/2 inches dia. (15 mm) CP bib cocks. Providing and fixing 1/2 inches dia. (15 mm) CP stop cocks/ Tee stop cocks. Providing and fixing CP Mixer 1/2 inches (15 mm) (Faisal/Master or equivelent) lever type Paksitani complete in all respect. Providing & fixing chromium plated Muslim bib-cock with out	Each Each Each	46.00 92.00 2.00			
45 46 47 48	pipe 1-1/4" dia of apporved pattern etc. complete Providing and fixing 1/2 inches dia. (15 mm) CP bib cocks. Providing and fixing 1/2 inches dia. (15 mm) CP stop cocks/ Tee stop cocks. Providing and fixing CP Mixer 1/2 inches (15 mm) (Faisal/Master or equivelent) lever type Paksitani complete in all respect. Providing & fixing chromium plated Muslim bib-cock with out Muslim Shower of approved quality. Providing and fixing floor waste 6"x6" (stainless stee!) Jali etc. complete.	Each Each Each Each	46.00 92.00 2.00 46.00			
45 46 47 48 49	pipe 1-1/4" dia of apporved pattern etc. complete Providing and fixing 1/2 inches dia. (15 mm) CP bib cocks. Providing and fixing 1/2 inches dia. (15 mm) CP stop cocks/ Tee stop cocks. Providing and fixing CP Mixer 1/2 inches (15 mm) (Faisal/Master or equivelent) lever type Paksitani complete in all respect. Providing & fixing chromium plated Muslim bib-cock with out Muslim Shower of approved quality. Providing and fixing floor waste 6"x6" (stainless stee!) Jali etc. complete. Providing and fixing wall shower of CP brass 3 knobs of approved	Each Each Each Each Each Each	46.00 92.00 2.00 46.00 46.00	· · · · · · · · · · · · · · · · · · ·		
45 46 47 48 49 50	pipe 1-1/4" dia of apporved pattern etc. complete Providing and fixing 1/2 inches dia. (15 mm) CP bib cocks. Providing and fixing 1/2 inches dia. (15 mm) CP stop cocks. Providing and fixing CP Mixer 1/2 inches (15 mm) (Faisal/Master or equivelent) lever type Paksitani complete in all respect. Providing & fixing chromium plated Muslim bib-cock with out Muslim Shower of approved quality. Providing and fixing floor waste 6"x6" (stainless stee!) Jali etc. complete. Providing and fixing wall shower of CP brass 3 knobs of approved quality mixer unit and moveable shower head complete	Each Each Each Each	46.00 92.00 2.00 46.00	· · · · · · · · · · · · · · · · · · ·		
45 46 47 48 49 50	pipe 1-1/4" dia of apporved pattern etc. complete Providing and fixing 1/2 inches dia. (15 mm) CP bib cocks. Providing and fixing 1/2 inches dia. (15 mm) CP stop cocks. Providing and fixing CP Mixer 1/2 inches (15 mm) (Faisal/Master or equivelent) lever type Paksitani complete in all respect. Providing & fixing chromium plated Muslim bib-cock with out Muslim Shower of approved quality. Providing and fixing floor waste 6"x6" (stainless steel) Jali etc. complete. Providing and fixing wall shower of CP brass 3 knobs of approved quality mixer unit and moveable shower head complete Providing and fixing bath room accessories of set of 7 pieces	Each Each Each Each Each Each	46.00 92.00 2.00 46.00 46.00	· · · · · · · · · · · · · · · · · · ·		
45 46 47 48 49 50	pipe 1-1/4" dia of apporved pattern etc. complete Providing and fixing 1/2 inches dia. (15 mm) CP bib cocks. Providing and fixing 1/2 inches dia. (15 mm) CP stop cocks/ Tee stop cocks. Providing and fixing CP Mixer 1/2 inches (15 mm) (Faisal/Master or equivelent) lever type Paksitani complete in all respect. Providing & fixing chromium plated Muslim bib-cock with out Muslim Shower of approved quality. Providing and fixing floor waste 6"x6" (stainless steel) Jali etc. complete. Providing and fixing wall shower of CP brass 3 knobs of approved quality mixer unit and moveable shower head complete Providing and fixing bath room accessories of set of 7 pieces consist of one cosmatic shelf, one towel rod with bracket, one-soap	Each Each Each Each Each Each	46.00 92.00 2.00 46.00 46.00	· · · · · · · · · · · · · · · · · · ·		
45 46 47 48 49 50	pipe 1-1/4" dia of apporved pattern etc. complete Providing and fixing 1/2 inches dia. (15 mm) CP bib cocks. Providing and fixing 1/2 inches dia. (15 mm) CP stop cocks/ Tee stop cocks. Providing and fixing CP Mixer 1/2 inches (15 mm) (Faisal/Master or equivelent) lever type Paksitani complete in all respect. Providing & fixing chromium plated Muslim bib-cock with out Muslim Shower of approved quality. Providing and fixing floor waste 6"x6" (stainless steel) Jali etc. complete. Providing and fixing wall shower of CP brass 3 knobs of approved quality mixer unit and moveable shower head complete Providing and fixing bath room accessories of set of 7 pieces consist of one cosmatic shelf, one towel rod with bracket, one soap dish, one tooth brush holder with glass and cover, one tissue	Each Each Each Each Each Each	46.00 92.00 2.00 46.00 46.00	· · ·		
45 46 47 48 49 50	pipe 1-1/4" dia of apporved pattern etc. complete Providing and fixing 1/2 inches dia. (15 mm) CP bib cocks. Providing and fixing 1/2 inches dia. (15 mm) CP stop cocks/ Tee stop cocks. Providing and fixing CP Mixer 1/2 inches (15 mm) (Faisal/Master or equivelent) lever type Paksitani complete in all respect. Providing & fixing chromium plated Muslim bib-cock with out Muslim Shower of approved quality. Providing and fixing floor waste 6"x6" (stainless steel) Jali etc. complete. Providing and fixing wall shower of CP brass 3 knobs of approved quality mixer unit and moveable shower head complete Providing and fixing bath room accessories of set of 7 pieces consist of one cosmatic shelf, one towel rod with bracket, one-soap	Each Each Each Each Each Each	46.00 92.00 2.00 46.00 46.00	· · · · · · · · · · · · · · · · · · ·		
45 46 47 48 49 50	pipe 1-1/4" dia of apporved pattern etc. complete Providing and fixing 1/2 inches dia. (15 mm) CP bib cocks. Providing and fixing 1/2 inches dia. (15 mm) CP stop cocks/ Tee stop cocks. Providing and fixing CP Mixer 1/2 inches (15 mm) (Faisal/Master or equivelent) lever type Paksitani complete in all respect. Providing & fixing chromium plated Muslim bib-cock with out Muslim Shower of approved quality. Providing and fixing floor waste 6"x6" (stainless steel) Jali etc. complete. Providing and fixing wall shower of CP brass 3 knobs of approved quality mixer unit and moveable shower head complete Providing and fixing bath room accessories of set of 7 pieces consist of one cosmatic shelf, one towel rod with bracket, one soap dish, one tooth brush holder with glass and cover, one tissue	Each Each Each Each Each Each	46.00 92.00 2.00 46.00 46.00	· · · · · · · · · · · · · · · · · · ·		
45 46 47 48 49 50	pipe 1-1/4" dia of apporved pattern etc. complete Providing and fixing 1/2 inches dia. (15 mm) CP bib cocks. Providing and fixing 1/2 inches dia. (15 mm) CP stop cocks/ Tee stop cocks. Providing and fixing CP Mixer 1/2 inches (15 mm) (Faisal/Master or equivelent) lever type Paksitani complete in all respect. Providing & fixing chromium plated Muslim bib-cock with out Muslim Shower of approved quality. Providing and fixing floor waste 6"x6" (stainless steel) Jali etc. complete. Providing and fixing wall shower of CP brass 3 knobs of approved quality mixer unit and moveable shower head complete Providing and fixing bath room accessories of set of 7 pieces consist of one cosmatic shelf, one towel rod with bracket, one soap dish, one tooth brush holder with glass and cover, one tissue paper holder one double hook one towel ring etc complete of	Each Each Each Each Each Each	46.00 92.00 2.00 46.00 46.00	· · · ·		
45 46 47 48 49 , 50 51	pipe 1-1/4" dia of apporved pattern etc. complete Providing and fixing 1/2 inches dia. (15 mm) CP bib cocks. Providing and fixing 1/2 inches dia. (15 mm) CP stop cocks/ Tee stop cocks. Providing and fixing CP Mixer 1/2 inches (15 mm) (Faisal/Master or equivelent) lever type Paksitani complete in all respect. Providing & fixing chromium plated Muslim bib-cock with out Muslim Shower of approved quality. Providing and fixing floor waste 6"x6" (stainless steet) Jali etc. complete. Providing and fixing wall shower of CP brass 3 knobs of approved quality mixer unit and moveable shower head complete Providing and fixing bath room accessories of set of 7 pieces consist of one cosmatic shelf, one towel rod with bracket, one soap dish, one tooth brush holder with glass and cover, one tissue paper holder one double hook one towel ring etc complete of approved quality as per direction of Engineer in-charge.	Each Each Each Each Each Each	46.00 92.00 2.00 46.00 46.00	· · · ·		
45 46 47 48 49 50 51	<ul> <li>pipe 1-1/4" dia of apporved pattern etc. complete</li> <li>Providing and fixing 1/2 inches dia. (15 mm) CP bib cocks.</li> <li>Providing and fixing 1/2 inches dia. (15 mm) CP stop cocks/ Tee stop cocks.</li> <li>Providing and fixing CP Mixer 1/2 inches (15 mm) (Faisal/Master or equivelent) lever type Paksitani complete in all respect.</li> <li>Providing &amp; fixing chromium plated Muslim bib-cock with out Muslim Shower of approved quality.</li> <li>Providing and fixing floor waste 6"x6" (stainless steel) Jali etc. complete.</li> <li>Providing and fixing bath room accessories of set of 7 pieces consist of one cosmatic shelf, one towel rod with bracket, one-soap dish, one tooth brush holder with glass and cover, one tissue paper holder one double hook one towel ring etc complete of approved quality as per direction of Engineer in-charge.</li> <li>Providing and fixing 24 inches x 18 inches (610 mm x 457 mm)</li> </ul>	Each Each Each Each Each Each	46.00 92.00 2.00 46.00 46.00	· · ·		
45 46 47 48 49 50 51	pipe 1-1/4" dia of apporved pattern etc. complete Providing and fixing 1/2 inches dia. (15 mm) CP bib cocks. Providing and fixing 1/2 inches dia. (15 mm) CP stop cocks/ Tee stop cocks. Providing and fixing CP Mixer 1/2 inches (15 mm) (Faisal/Master or equivelent) lever type Paksitani complete in all respect. Providing & fixing chromium plated Muslim bib-cock with out Muslim Shower of approved quality. Providing and fixing floor waste 6"x6" (stainless steet) Jali etc. complete. Providing and fixing wall shower of CP brass 3 knobs of approved quality mixer unit and moveable shower head complete Providing and fixing bath room accessories of set of 7 pieces consist of one cosmatic shelf, one towel rod with bracket, one soap dish, one tooth brush holder with glass and cover, one tissue paper holder one double hook one towel ring etc complete of approved quality as per direction of Engineer in-charge.	Each Each Each Each Each Each	46.00 92.00 2.00 46.00 46.00	· · · · · · · · · · · · · · · · · · ·		

# Repair/Maintaenance of ANF Academy Islamabad (Hostel Block)

**Kitchen Work** 

S.No.

### Description Unit Rate Qty Amount Taking out door and window frames with or without hold fasts in ground floor including cutting walls, stacking salvaged material (serviceable) and disposing of unservice-able material as -2 directed within three chains (91.5 m). Each Taking out clerestory window frame with or without hold fasts in ground floor including cutting walls, stacking salvaged material (serviceable) and disposing of unservice-able material as directed 2 Each within three chains (91.5 m) Dismantling cement tiled floor, dado or skirting in basement, plinth and ground floor including base mortar and stacking salvaged material (serviceable) and disposing of surplus stuff as directed 100 Sft 1134.1 within three chains (91.5 m). Dismantling lime or cement concrete in foundation or under floor basement, plinth and ground floor and disposing of surplus material as directed within three chains (91.5 m). 4 100 Cft. 250.68 Dismantling rain water pipe (PVC/GI) including clamps and specials and stacking serviceable material, disposal of unserviceable 100 Rft. 149.31 5 material as directed within three chains (91.5 m). Providing and fixing 4" (100 mm) dia polyvinyle chloride rain water (PVC) down pipe with mild steel clamps, bolts and nuts fixed in 100 Rft. 149.31 cement concrete 1;2:4 etc. complete . Providing and fixing 4" (100 mm) dia polyvinyle chloride (PVC) sockets for rain water down pipe Each 12 Providing and fixing 4" (100 mm) dia polyvinyle chloride (PVC) bend of any degree for rain water down pipe with clamps, bolts and 8 nuts in cement concrete 1:2:4 etc. complete. 8 Each Providing and fixing 4" (100 mm) dia polyvinyle chloride (PVC) offset of any degree for rain water down pipe with clamps, bolts and 9 nuts in cement concrete 1:2:4 etc. complete. Each 8 Providing and fixing M.S. moulded steel door frames of 5,73" x 2-1/2" (146 mm x 63 mm) manufactured from mild steel sheet of 18 gauge (1.41 mm) conforming to B.S.S. 1245 having a double rebate size 1-1/2" x 1/2" (38 mm x 12 mm) provision of 3 Nos. M.S. plate, section 1-1/2" x 1/4" (38 mm x 6 mm) (2 Nos. 6 inch long welded with frame at not less than 10 points and 1 Nos. 12 inch long welded with frame at not less than 20 points), with holes and threads for fixing steel hings, fitted with one locking box of same sheet (point welded inside the frame), 6 Nos. 6 inches long flat iron fixing lugs of 1-1/4" x 3/16" section, treated with special red oxide primer coat all around including cutting holes and filling the cavity with cement concrete 1:2:4 etc. in any floor at any height complete 10 Rft 84 as directed by the Engineer-in-Charge Providing and laying 1:4:8 cement concrete bed under floors using graded stone ballast 2 inches (51 mm) and down gauge with 11 levelling and ramming, watering and curing etc. complete.. 100 Cft. 250.68 Plastering 3/4" (19 mm) thick in patches in cement sand mortar 1:4 including curing and scraping old damaged portion in regular shape and removal of rubbish from the site etc. complete as per direction > 100 Sa.ft 1438.12 Providing and laying light colour, glazed/non skid vitrified porcelean tiles (Polished) exceeding 1600 sqcm and upto 3600 Sqcm each,(Pak made) on walls and floors, in any floor, laid with dry

 11
 levelling and ramming, watering and curing etc. complete..
 100 Cft.
 250.68

 Plastering 3/4" (19 mm) thick in patches in cement sand mortar 1:4 including curing and scraping old damaged portion in regular shape and removal of rubbish from the site etc. complete as per direction
 100 Sq.ft
 1438.12

 2
 of Engineer-in-Charge in ground floor.
 100 Sq.ft
 1438.12

 2
 of Engineer-in-Charge in ground floor.
 100 Sq.ft
 1438.12

 2
 Providing and laying light colour, glazed/non skid vitrified porcelean tiles (Polished) exceeding 1600 sqcm and upto 3600 Sqcm each, (Pak made) on walls and floors, in any floor, laid with dry bond (stile bond) over existing floors, including jointing to tiles with joint filler of approved quality as per direction of the Engineer
 100 Sft
 1134.1

 Proving & fixing ward robe 24" deep consisting 19 mm thick laminated sheet on bottum, top sides partion shelves & shutters etc and 4 mm thick pressed on back side, 2-1/2" x1-1/4" best quality deodar wood frame and all open edges filled 3/4" molding PVC gola complete i/c thecost of glue iron nails screws, heavy type piano hings, 1/2" handle, catcher, locks etc, complet the as per
 56

1	Proving & fixing kitchen wall cabinet making of shutter board box	. 1			1		٦
	& 3/4" thick high glass lamination lasani shutter, PVC beading,				l l		
	PVC sheet backing of approved design etc. fixed with rawal				1		
	PVC sheet backing of approved design etc. fixed with tawai						
Í	plugs,screws i/c the cost of glue iron nails hings, handles etcas per	64	420				
	drawing. complet the as per direction of engineer incharge.	Sft	130				-
	Proving & fixing kitchen floor cabinet making of shutter board box						1.
	& 3/4" thick high glass lamination lasani shutter, PVC beading ,						
	deodar wooden frame 2.5"x1.25" size making tray drawer of						
	deodal wooden hame 2.5 X1.25 size making day diduct of						
	approved design etc. fixed with rawal plugs,screws i/c the cost of						
	glue iron nails hings, handles etcas per drawing. complet the as per						
16	direction of engineer incharge.	Sft	112				_
	Providing and fixing iron bars of required dia at required spacing						
	with horizontal flat iron as per approved design including making						
	with holizontal flat non as per approved design meldeling making		_				
	holes fixing with sunk iron screws, painting two coats of red oxide	Kg	215				1
1/	paint etc. complete as required in any floor	ing	210		+		-
	Scraping, rubbing and cleaning white-wash, colour wash and oil-						
	free distemper including removal of rubbish etc. as per direction of		**				
18	the Engineer-in-charge complete in all floors	100 Sft	54		1		
	Painting iron work with synthetic enamel paint of approved make						
	annung non work mus synthetic channel paint of approved make				1		
	and shade two coats over and including the cost of one priming	100 Sft	54		1		1
19	coat complete at any height in any floor .	100 011		<u> </u>	+		-1
	Painting with (ICI) Dulux plastic emulsion paint VIP of approved		ŀ		1		
	shade two coats over and including the cost of one priming coat						
20	complete over plastered surface at any height in any floor .	100 Sft	1438.12				
20					1		
	Painting three coats with weather shield paint deluxe (ICI) make of		1		1		
	approved shade on plaster surface (External) and including the						
	cost of cleaning the surface, sand papering etc. complete at any				1		
-21	height in any floor.	-100-Sft-	560:12		1		
	Providing & laying wall finish coat of any colour graffiate wall						
	coating 1.5 mm to 3 mm thick straight and swirt for exterior surface						
		% Sft	145.65				
22	at any hight and any floor.	70 010	110.00		+		-
	Replacing glass panes of 32 oz. per Sft. (4.00 mm) approx. with		1				
	iron nails and putty including removing broken ones if required in all				1	•	
23	floors.	Sft	24				
	Providing and fixing 1-1/2 inch (38 mm) thick best quality deodar						
	wood shutters fully panelled with same wood, approved iron hinges		1				
74		Sft	84				
	and tower bolts, etc., as required				+		-1
	Painting wood work with synthetic enamel paint of approved make		1				
	and shade two coats over and including the cost of one priming						
- 25	coat complete at any height in any floor.	100 Sft	130	ļ			
	Providing and fixing with brass screws door basti lock with handle			1	}		
	of approved design (Japan make), cutting wood etc., to required			1			
	shape and size with two operating keys as per direction of the		{	[			1
		Each	2				
25	Engineer-in Charge		<u> </u>		- <u></u>		-
	Providing and fixing approved brass sliding bolts or aldrop bolts 12"			1	1		
	x 3/4" (305 mm x 19 mm) size with necessary brass screws and	-					
27	iron bolts and nuts.	Each	32	<u> </u>		•••	
	Providing and fixing approved brass sliding bolts or aldrop bolts 6"		1	1			
	x 1/2" (152 mm x 13 mm) size with necessary brass screws and			1			
		Each	32	1			
28	iron bolts and nuts.		t		+		
	Providing and fixing approved brass handles 5" (127 mm) size	<b>C</b> = + +		ł			l
_ 29	heavy type with becessary brass screws .	Each	2				
	Providing and fixing with brass screw or specially supplied screws		1		1		
	hydraulic door closer of approved design No. 707, Japan make,		1	1			
	cutting wood etc., to required shape and size as per direction of the		1				
30		Each	2	1	1		
36	engineer-in-Charge		+				$\neg$
	Providing and fixing PPRC pipe PN-20 with specials and clamps		~	1	1 '		l
	etc. including cutting and fitting complete with and in cluding the		ł		1		
	cost of breaking through walls and roof and making good etc. after		ł				
	cleaning the piep and cartage within 10 miles 25 mm dia	100 Rft.	130	1	1		
]		100 111	+				
	Providing and fixing CP Mixer 1/2 inches (15 mm) (Faisal/Master or	- ·		1			
32	equivelent) lever type Paksitani complete in all respect.	Each	4	1	<u> </u>		
••••	Providing , Laying and fixing 1" thick marble slab exceeding.	_			1		
	12"x12" size kitchen top in white cement including all labor for	1	1				ļ
		Sft	82.25				
			1		<del>_{</del>		
33	cutting, grinding and polishing.			1	1		
	Providing, grinding and polishing. Providing, laying and installation of 12" exhaust fan complete with I shutter & regulator		4				

# Repair/Maintaenance of ANF Academy Islamabad

Kitchen Work	Ki	itcher	ו Wo	rk
--------------	----	--------	------	----

	Kitchen Work					
S.N	o.	Description	Unit	Qty	Rate	Amount
		Taking out door and window frames with or without hold fasts in				
		ground-floor including-cutting walls, stacking salvaged material			· -	
		(serviceable) and disposing of unservice-able material as		4.00		
	1	directed within three chains (91.5 m).	Each	1.00		
		Taking out clerestory window frame with or without hold fasts in				
		ground floor including cutting walls, stacking salvaged material				
		(serviceable) and disposing of unservice-able material as directed	<b>F</b> 1	4 00		
	2	within three chains (91.5 m).	Each	1.00		
		Dismantling cement tiled floor, dado or skirting in basement, plinth				-
		and ground floor including base mortar and stacking salvaged				
		material (serviceable) and disposing of surplus stuff as directed				
	3	within three chains (91.5 m)	100 Sft	360.12		
		Dismantling lime or cement concrete in foundation or under floor				
		basement, plinth and ground floor and disposing of surplus material				
	4	as directed within three chains (91.5 m).	100 Cft.	65.23		
		Dismantling rain water pipe (PVC/GI) including clamps and specials				
		and stacking serviceable material, disposal of unserviceable		-		
	5	material as directed within three chains (91.5 m).	100 Rft.	37.50		l
		Providing and fixing 4" (100 mm) dia polyvinyle chloride rain water				
		(PVC) down pipe with mild steel clamps, bolts and nuts fixed in				
	6	cement concrete 1:2:4 etc. complete	100 Rft.	37.50		
		Providing and fixing 4" (100 mm) dia polyvinyle chloride (PVC)				
	7	sockets for rain water down pipe	Each	3.00		
		Providing and fixing 4" (100 mm) dia polyvinyle chloride (PVC)				
		bend of any degree for rain water down pipe with clamps, boits and				
	8	nuts in cement concrete 1:2:4 etc. complete	Each	2.00		
		Providing and fixing 4" (100 mm) dia polyvinyle chloride (PVC)				
-		offset of any degree for rain water down pipe with clamps, bolts and				
	9	nuts in cement concrete 1:2:4 etc. complete.	Each	2.00		
		Providing and fixing M.S. moulded steel door frames of 5.73" x 2-		· · · ·		
		1/2" (146 mm x 63 mm) manufactured from mild steel sheet of 18				
		gauge (1.41 mm) conforming to B.S.S. 1245 having a double				
		rebate size 1-1/2" x 1/2" (38 mm x 12 mm) provision of 3 Nos. M.S.				
		plate, section 1-1/2" x 1/4" (38 mm x 6 mm) (2 Nos. 6 inch long				· ·
		welded with frame at not less than 10 points and 1 Nos. 12 inch				
		long welded with frame at not less than 20 points), with holes and				
		threads for fixing steel hings, fitted with one locking box of same		-	1	
		sheet (point welded inside the frame), 6 Nos. 6 inches long flat iron				
		fixing lugs of 1-1/4" x 3/16" section, treated with special red oxide				
		primer coat all around including cutting holes and filling the cavity				•
						1
	10	with cement concrete 1:2:4 etc. in any floor at any height complete as directed by the Engineer-in-Charge	Rft	21.00		
	10	Providing and laying 1:4:8 cement concrete bed under floors using	1		<u> </u>	[
		graded stone ballast 2 inches (51 mm) and down gauge with				1
	11	levelling and ramming, watering and curing etc. complete.	100 Cft.	62.00	1	· ·
	11	Plastering 3/4" (19 mm) thick in patches in cement sand mortar 1:4				
		mastering 5/4 (is min) thick in patches in cement sand montal 1.4		-		<b> </b>
		including curing and scraping old damaged portion in regular shape				· ·
	4.2	and removal of rubbish from the site etc. complete as per direction	100 Sq.ft	450.00	1	
	12	of Engineer-in-Charge in ground floor.			<u> </u>	
		Providing and laying light colour, glazed/non skid vitrified porcelean	1		ŀ	
		tiles (Polished) exceeding 1600 sqcm and upto 3600 Sqcm	1			
		each (Pak made) on walls and floors, in any floor, laid with dry		· · · · ·	· · · · ·	
		bond (stile bond) over existing floors, including jointing to tiles with		1		
		joint filler of approved quality as per direction of the Engineer	100 Sft	360.12	·	1 ·
	13	incharge.	100 51	500.12	<u> </u>	<u> </u>
•		Proving & fixing ward robe 24" deep consisting 19 mm thick				1
		laminated sheet on bottum, top sides partion shelves & shutters				
·		etc and 4 mm thick pressed on back side, 2-1/2" x1-1/4" best				
		quality deodar wood frame and all open edges filled 3/4" molding	1			
		PVC gola complete i/c thecost of glue iron nails screws, heavy type	1	1		
		piano hings, 1/2" handle, catcher, locks etc, complet the as per				
	14	direction of engineer incharge.	Sft	14.00	l	<u> </u>

	•				
_	Proving & fixing kitchen wall cabinet making of shutter board box	1		r	r · · · · · · · · · · · · · · · · · · ·
	& 3/4" thick high glass lamination lasani shutter, PVC beading,			}	[
	N/C shoot backing of expressed design star final shift result				1
	PVC sheet backing of approved design etc. fixed with rawal	1		· ·	·
	plugs, screws i/c the cost of glue iron nails hings, handles etcas per				
I:	drawing. complet the as per direction of engineer incharge.	Sft	34.00		
	Proving & fixing kitchen floor cabinet making of shutter board box				
	& 3/4" thick high glass lamination lasani shutter, PVC beading				
	deodar wooden frame 2.5"x1.25" size making tray drawer of		1	]	l
	approved design etc. fixed with rawal plugs,screws i/c the cost of				{
	due iron nails bings, handles stees has drawing, screws include cost of				
	glue iron nails hings, handles etcas per drawing. complet the as per				
16	direction of engineer incharge.	Sft	28.00		
	Providing and fixing iron bars of required dia at required spacing				
	with horizontal flat iron as per approved design including making		j		
	holes fixing with sunk iron screws, painting two coats of red oxide		ł	1	· ·
17	paint etc. complete as required in any floor.	Kg	55.00		
	Scraping, rubbing and cleaning white-wash, colour wash and oil-				
	free distemper including removal of rubbish etc. as per direction of				
18	the Engineer-in-charge complete in all floors .	100 Sft	12 50		
	Dointing item work with swith still		13.50		
	Painting iron work with synthetic enamel paint of approved make				
	and shade two coats over and including the cost of one priming				
15	coat complete at any height in any floor .	100 Sft	13.50		
	Painting with (ICI) Dulux plastic emulsion paint VIP of approved				
	shade two coats over and including the cost of one priming coat				
20	complete over plastered surface at any height in any floor .	100 Sft	350.38		
			330.36		
	Painting three coats with weather shield paint deluxe (ICI) make of				
	approved shade on plaster surface (External) and including the	}			
	cost of cleaning the surface, sand papering etc. complete at any	}			
2]	height in any floor	100 Sft	14 03		
	Providing & laying wall finish coat of any colour graffiate wall	1			
	coating 1.5 mm to 3 mm thick straight and swirt for exterior surface.		-		
22	at any hight and any floor.	% Sft	38.75		
	Replacing glass panes of 32 oz. per Sft. (4.00 mm) approx. with				
	liten nails and nutty including removing broken group if required in all				
22	iron nails and putty including removing broken ones if required in all				
23	floors .	Sft	6.00		
	Providing and fixing 1-1/2 inch (38 mm) thick best quality deodar				
	wood shutters fully panelled with same wood, approved iron hinges				
24	and tower bolts, etc., as required.	Sft	21.00		
	Painting wood work with synthetic enamel paint of approved make				
	and shade two coats over and including the cost of one priming				
. 25	coat complete at any height in any floor .	100 Sft	35.00	1	
	Providing and fixing with brass screws door basti lock with handle	100 011			
	of opproved design (lange stalle) with used to k with handle				
	of approved design (Japan make), cutting wood etc., to required				
26	shape and size with two operating keys as per direction of the				
	Engineer-in Charge	Each	1.00		
	Providing and fixing approved brass sliding bolts or aldrop bolts 12"				
	x 3/4" (305 mm x 19 mm) size with necessary brass screws and			1	
27	iron bolts and nuts.	Each	16.00	1	
	Providing and fixing approved brass sliding bolts or aldrop bolts 6"				
		1	1		
	v 1/2" (152 mm v 13 mm) size-with necessary brane corour and				
20	x 1/2" (152 mm x 13 mm) size with necessary brass screws and	E b	40.00		
28	x 1/2" (152 mm x 13 mm) size with necessary brass screws and iron bolts and nuts	Each	16.00		
	x 1/2" (152 mm x 13 mm) size with necessary brass screws and iron bolts and nuts Providing and fixing approved brass handles 5" (127 mm) size			-	
	x 1/2" (152 mm x 13 mm) size with necessary brass screws and iron bolts and nuts Providing and fixing approved brass handles 5" (127 mm) size heavy type with becessary brass screws.	Each Each	16.00 1.00		
	x 1/2" (152 mm x 13 mm) size with necessary brass screws and iron bolts and nuts Providing and fixing approved brass handles 5" (127 mm) size heavy type with becessary brass screws . Providing and fixing with brass screw or specially supplied screws				
	x 1/2" (152 mm x 13 mm) size with necessary brass screws and iron bolts and nuts Providing and fixing approved brass handles 5" (127 mm) size heavy type with becessary brass screws . Providing and fixing with brass screw or specially supplied screws				
	x 1/2" (152 mm x 13 mm) size with necessary brass screws and iron bolts and nuts Providing and fixing approved brass handles 5" (127 mm) size heavy type with becessary brass screws . Providing and fixing with brass screw or specially supplied screws hydraulic door closer of approved design No. 707, Japan make,				
29	x 1/2" (152 mm x 13 mm) size with necessary brass screws and iron bolts and nuts Providing and fixing approved brass handles 5" (127 mm) size heavy type with becessary brass screws . Providing and fixing with brass screw or specially supplied screws hydraulic door closer of approved design No. 707, Japan make, cutting wood etc., to required shape and size as per direction of the	Each	1.00		
29	x 1/2" (152 mm x 13 mm) size with necessary brass screws and iron bolts and nuts Providing and fixing approved brass handles 5" (127 mm) size heavy type with becessary brass screws . Providing and fixing with brass screw or specially supplied screws hydraulic door closer of approved design No. 707, Japan make, cutting wood etc., to required shape and size as per direction of the engineer-in-Charge				
29	x 1/2" (152 mm x 13 mm) size with necessary brass screws and iron bolts and nuts Providing and fixing approved brass handles 5" (127 mm) size heavy type with becessary brass screws . Providing and fixing with brass screw or specially supplied screws hydraulic door closer of approved design No. 707, Japan make, cutting wood etc., to required shape and size as per direction of the engineer-in-Charge Providing and fixing PPRC pipe PN-20 with specials and clamps	Each	1.00		
29	x 1/2" (152 mm x 13 mm) size with necessary brass screws and iron bolts and nuts Providing and fixing approved brass handles 5" (127 mm) size heavy type with becessary brass screws . Providing and fixing with brass screw or specially supplied screws hydraulic door closer of approved design No. 707, Japan make, cutting wood etc., to required shape and size as per direction of the engineer-in-Charge Providing and fixing PPRC pipe PN-20 with specials and clamps etc. including cutting and fitting complete with and in cluding the	Each	1.00		
29 30	x 1/2" (152 mm x 13 mm) size with necessary brass screws and iron bolts and nuts Providing and fixing approved brass handles 5" (127 mm) size heavy type with becessary brass screws . Providing and fixing with brass screws or specially supplied screws hydraulic door closer of approved design No. 707, Japan make, cutting wood etc., to required shape and size as per direction of the engineer-in-Charge Providing and fixing PPRC pipe PN-20 with specials and clamps etc. including cutting and fitting complete with and in cluding the cost of breaking through walls and roof and making good etc. after	Each	1.00		
29 30	x 1/2" (152 mm x 13 mm) size with necessary brass screws and iron bolts and nuts Providing and fixing approved brass handles 5" (127 mm) size heavy type with becessary brass screws . Providing and fixing with brass screw or specially supplied screws hydraulic door closer of approved design No. 707, Japan make, cutting wood etc., to required shape and size as per direction of the engineer-in-Charge Providing and fixing PPRC pipe PN-20 with specials and clamps etc. including cutting and fitting complete with and in cluding the	Each Each	1.00		
29 30	x 1/2" (152 mm x 13 mm) size with necessary brass screws and iron bolts and nuts Providing and fixing approved brass handles 5" (127 mm) size heavy type with becessary brass screws . Providing and fixing with brass screws or specially supplied screws hydraulic door closer of approved design No. 707, Japan make, cutting wood etc., to required shape and size as per direction of the engineer-in-Charge Providing and fixing PPRC pipe PN-20 with specials and clamps etc. including cutting and fitting complete with and in cluding the cost of breaking through walls and roof and making good etc. after cleaning the piep and cartage within 10 miles 25 mm dia	Each	1.00		
29 30 31	x 1/2" (152 mm x 13 mm) size with necessary brass screws and iron bolts and nuts Providing and fixing approved brass handles 5" (127 mm) size heavy type with becessary brass screws . Providing and fixing with brass screws or specially supplied screws hydraulic door closer of approved design No. 707, Japan make, cutting wood etc., to required shape and size as per direction of the engineer-in-Charge Providing and fixing PPRC pipe PN-20 with specials and clamps etc. including cutting and fitting complete with and in cluding the cost of breaking through walls and roof and making good etc. after cleaning the piep and cartage within 10 miles 25 mm dia Providing and fixing CP Mixer 1/2 inches (15 mm) (Faisal/Master or	Each Each 100 Rft.	1.00 1.00 75.00		
29 30 31	x 1/2" (152 mm x 13 mm) size with necessary brass screws and iron bolts and nuts Providing and fixing approved brass handles 5" (127 mm) size heavy type with becessary brass screws . Providing and fixing with brass screw or specially supplied screws hydraulic door closer of approved design No. 707, Japan make, cutting wood etc., to required shape and size as per direction of the engineer-in-Charge Providing and fixing PPRC pipe PN-20 with specials and clamps etc. including cutting and fitting complete with and in cluding the cost of breaking through walls and roof and making good etc. after cleaning the piep and cartage within 10 miles 25 mm dia Providing and fixing CP Mixer 1/2 inches (15 mm) (Faisal/Master or equivelent) lever type Paksitani complete in all respect.	Each Each	1.00		
29 30 31	x 1/2" (152 mm x 13 mm) size with necessary brass screws and iron bolts and nuts Providing and fixing approved brass handles 5" (127 mm) size heavy type with becessary brass screws . Providing and fixing with brass screw or specially supplied screws hydraulic door closer of approved design No. 707, Japan make, cutting wood etc., to required shape and size as per direction of the engineer-in-Charge Providing and fixing PPRC pipe PN-20 with specials and clamps etc. including cutting and fitting complete with and in cluding the cost of breaking through walls and roof and making good etc. after cleaning the piep and cartage within 10 miles 25 mm dia Providing and fixing CP Mixer 1/2 inches (15 mm) (Faisal/Master or equivelent) lever type Paksitani complete in all respect. Providing , Laying and fixing 1" thick marble slab exceeding	Each Each 100 Rft.	1.00 1.00 75.00		
29 30 31 32	x 1/2" (152 mm x 13 mm) size with necessary brass screws and iron bolts and nuts Providing and fixing approved brass handles 5" (127 mm) size heavy type with becessary brass screws . Providing and fixing with brass screw or specially supplied screws hydraulic door closer of approved design No. 707, Japan make, cutting wood etc., to required shape and size as per direction of the engineer-in-Charge Providing and fixing PPRC pipe PN-20 with specials and clamps etc. including cutting and fitting complete with and in cluding the cost of breaking through walls and roof and making good etc. after cleaning the piep and cartage within 10 miles 25 mm dia Providing and fixing CP Mixer 1/2 inches (15 mm) (Faisal/Master or equivelent) lever type Paksitani complete in all respect. Providing , Laying and fixing 1" thick marble slab exceeding 12"x12" size kitchen top in white cement including all labor for	Each Each 100 Rft. Each	1.00 1.00 75.00 2.00		
29 30 31 32 33	x 1/2" (152 mm x 13 mm) size with necessary brass screws and iron bolts and nuts Providing and fixing approved brass handles 5" (127 mm) size heavy type with becessary brass screws . Providing and fixing with brass screw or specially supplied screws hydraulic door closer of approved design No. 707, Japan make, cutting wood etc., to required shape and size as per direction of the engineer-in-Charge Providing and fixing PPRC pipe PN-20 with specials and clamps etc. including cutting and fitting complete with and in cluding the cost of breaking through walls and roof and making good etc. after cleaning the piep and cartage within 10 miles 25 mm dia Providing and fixing CP Mixer 1/2 inches (15 mm) (Faisal/Master or equivelent) lever type Paksitani complete in all respect. Providing , Laying and fixing 1" thick marble slab exceeding 12"x12" size kitchen top in white cement including all labor for cutting, grinding and polishing.	Each Each 100 Rft.	1.00 1.00 75.00		
29 30 31 32 33	x 1/2" (152 mm x 13 mm) size with necessary brass screws and iron bolts and nuts Providing and fixing approved brass handles 5" (127 mm) size heavy type with becessary brass screws . Providing and fixing with brass screw or specially supplied screws hydraulic door closer of approved design No. 707, Japan make, cutting wood etc., to required shape and size as per direction of the engineer-in-Charge Providing and fixing PPRC pipe PN-20 with specials and clamps etc. including cutting and fitting complete with and in cluding the cost of breaking through walls and roof and making good etc. after cleaning the piep and cartage within 10 miles 25 mm dia Providing and fixing CP Mixer 1/2 inches (15 mm) (Faisal/Master or equivelent) lever type Paksitani complete in all respect. Providing , Laying and fixing 1" thick marble slab exceeding 12"x12" size kitchen top in white cement including all labor for cutting, grinding and polishing. Providing, laying and installation of 12" exhaust fan complete with	Each Each 100 Rft. Each	1.00 1.00 75.00 2.00		